



2005 PPLICATION FOR RECLAMATION PERMIT FORM SM-8A

Che	ck appro	priate box(es):	new pen	mit 🔯 revision of	existing permit transfer of permit expansion
(SM	BAINST.	ot attempt to co PDF). Do not at MS Word.	mplete this fo tempt to use	orm until you have c this form as an MS	arefully read the accompanying instruction document Word Template unless you are familiar with the use of
J. Arli	ME OF AP e Bryant Inc W 6 Street		HOLDER(S)		12. Are all of these mines now in compliance with RCW 78.44, WAC 332-18, and conditions of the permits?
	alles, OR 97				13. Have you ever had a surface mine operating br
2. MA	ILING ADI	ORESS			reclamation permit revoked?
SAME					
				•	Have you ever had a reclamation security forfeited? yes no If you answered yes to either of the above, list the permit number(s):
3. Tele	phone 541	296-2129			14. Type of proposed or existing mine: pit quarry
UB	I No. 6	00 071 8	718		Material(s) to be mined: sand and grave! rock or stone clay metal limestone silica
4. N	AME OF M Quarry	INE			Other
5. Stree	et address ar	nd milepost of surface	mine	proximately 3/4 mile east	Deposit type:
from in	tersection of	Latimer Rd and Tro	vood Road-Aap it Lake Glenwoo	proximately 3/4 mile east d Road	15. Total Acreage and Depth of Permit Area: (Include all acreage to be disturbed by mining, setbacks, buffers, and associated activities during the life of the mine.) (See Form SM-6.)
					Total area disturbed will be 20 acres. Area to be disturbed in next 36 months will be 6 acres.
					Maximum vertical depth below pre-mining topographic grade is 240 feet.
	•		•		16. Expected start date of mining 17. Estimated number of years
6. Dista	nce (miles)	7. Direction from	8. Nearest	community	
4		SE	Trout Lake		18. Total quantity to be mined over life of mine (estimated): 400000
0 COID	NTY Klicki				⊠ cu yds
No attacl	ments will t	tat De accepted. Legal D	escription of per	mit∗area:	20. Subsequent land use: ☐ industrial ☐ commercial ☐ residential ☐ agricultural ☐ forestry ☐ wetlands and lakes
<u>1/4</u> NE	<u>1/4</u> SW	Section 29	Township 6N	Range	Other Wedlands and lakes
SE	NE	29	6N	11E 11E	Reclaimed elevation of floor of mine: 1900 feet relative to mean sea level
					Reclaimed elevation is shown on cross sections?
(include a	ll acreage to	J GE OF PERMIT AR be disturbed by mini fe of the mine.)	EA APPLIED For ng, setbacks, but	DR ffers, and associated	Subsequent land use is compatible with County or Municipal comprehensive plan? County or Municipality Approval for
20 acres		•			Surface Mining (Form SM-6) attached? ☐ yes ☐ no
11. Do yo nold, or ha	u or any per ive you held	son, partnership, or c , a surface mining op	orporation assoc crating or reclan	ation permit?	SEPA Checklist required? ☑ yes ☐ no
f you ans	wered yes to	the above, please list		⊠ yes □ no	If any answers are no, explain: Form SM 6 has already been submitted
	Permit Nu		Active Operation?	Reclamation	
70	010	778	Yes No	Yes No	
:					
			- - - - - - - - - - 		21. Application fee for a new reclamation permit is herewith attached?

Permit area has been divided into segments for mining and a mining schedule has been developed?	T	⊠ ye	s no
If no, explain:			
Permit area has been divided into segments for reclamation and a reclamation schedule has been developed	d?	⊠ ye	s no
If no, explain:			
	Hi		
	منعه		and the second second
8. The first of the second of	en men gener	e programa e en el e	
23A Parmit and Distorbed Area Bountaines		X yes	1
Boundary of the permit area has been marked on the ground with permanent boundary markers?		M yes	s] no
Explain boundary markers: Permit boundary markers are steel fence posts			
driven into the ground at points marked on the map.	l i		
23B. Saving Topsoil, Subsoil, and Overburden for Reclamation	$\pm i$		Tagur, III
Thickness of topsoil is <u>0.1</u> feet	and the latest	The last state of the same	<u> Samuel Sal Trope de la companya de</u>
Thickness of subsoil is <u>0.4</u> feet			
Depth to bedrock is 0.5 feet			· ·
Total volume of topsoil is 3000 cubic yards			
Total volume of subsoil is 12000 cubic yards			
Volume of stored topsoil/subsoil is 15000 cubic yards and will require 0.25 acres for storage.			
Storage areas are shown on maps and have been marked on the ground with permanent boundary markers?		yes	
Topsoil will be salvaged?		⊠ yes	no
If no, explain: The topsoil layer is very thin but will be salvaged to the degree possible with heavy equ	ıipme	ent.	
			•
	₩-	K2	r -
Topsoil and overburden will be moved to reclaim an adjacent depleted segment?		⊠ yes	i no
If no, explain:			
Before materials are moved, vegetation will be cleared and drainage planned for soil storage areas?	++	⊠ yes	no
If no, explain:		الج	no
, -			
			·
Soil storage areas will be stabilized with vegetation to prevent erosion if materials will be stored for more the	an		
one season?		⊠ yes	☐ no
If no, explain:		. •	
] !		j
	Hi		
23C. Setbacks and Screens		resident pro-	
Maximum depth of the mine will be <u>240</u> feet from <u>2140</u> feet (<i>highest</i>) to <u>1900</u> feet (<i>lowest</i>) elevation relative		ann can l	av.a1
Triaximum deput of the name will be 240 feet from 2140 feet (mgnest) to 1500 feet (towest) elevation relative	j 10 II	ican sca n	evel
The setback for this site will be 70 feet wide.			ļ
Is a permanent, undisturbed buffer planned for this site?	Η.	⊠ yes	no
If no, explain:			
			.
Setbacks are shown on maps and have been marked on the ground with permanent boundary markers?		yes	X no
If no, explain: Marked on map but not at site at this time.	i	_ ,	_
* * * * * * * * * * * * * * * * * * *			
	1		
Application for Reclamation Permit (Form SM-8A) Revised 12/01 Page 2 of 14 Reclamation Permit/App No.	70-01	10778	

Does this site have a backfilling plan that addresses the protection of adjacent property and how the final,	stable		
slopes are to be achieved?		yes	⊠ no
If no, explain: Backfilling will not be completed for this site.			
23D. Buffers to Protect Streams and Flood Plains			· · · · · · · · · · · · · · · · · · ·
If yes, see "Additional Information Requirements for Flood Plain Mines." This document is included in t	be SM	RAINST P	DE file
A stream buffer of at least 200 feet has been marked on the ground with permanent boundary markers?	TE DIVI	yes	
A buffer of at least 200 feet from the 100-year flood plain has been marked on the ground with permanent		1 L yes	<u> </u>
boundary markers?		☐ yes	🛛 no
If no, explain: N/A			2.3
	1		
Copy of Shoreline Permit from local government or the Dept of Ecology is attached?		☐ yes	⊠ no
Hydraulic Project Approval from the Department of Fish and Wildlife is attached?		│	⊠ no
23E. Conservation Buffers			
Conservation buffers will be established for the following purpose(s): (Check all that apply) unstable slopes wildlife habitat water quality other			
	1		
Describe the nature and configuration of the conservation buffer(s):			
Conservation setbacks are shown on maps and have been marked on the ground with permanent boundary	++-	T	
markers?		yes	⊠ no
23F. Ground Water	+	<u> </u>	<u> </u>
High water table depth is >80 feet relative to mean sea level, below original surface, or unknow	n		
Low water table depth is >80 feet relative to mean sea level, below original surface, or unknown	1.		
	11		
Annual fluctuation of water table is from <u>Unknown</u> feet on to feet on			
Direction of around water flows South			
Direction of ground water flow: South	! [
Are well logs attached?	+	⊠ yes	П по
Is the aquifer perched?	+ !	yes yes	no no
Is the shallowest aquifer: confined unconfined	+	I L yes	<u> </u>
The site will be mined: wet dry both	+		
			i
Describe mining method:			
	<u> </u>		
The site is in a:		_	
erffical aquifer recharge area sole source aquifer public water supply w			
wellhead protection area special protection area designated ac	juifer j	· 	
Ground water study attached?		∐ yes	⊠ no
If yes, see "Additional Information Requirements for Hydrologically Sensitive Areas." This document is included in the SM8AINST.PDF file.	i ·		
If no, explain: Not applicable]
ino, explain. 110t applicable	: 1		
23G. Archeology			
Are archeological/cultural resource sites present?	· · · · · · · · · · · · · · · · · · ·	yes	No no
If yes, describe how you will protect these resources:			
			j

24. MINING PRACTICES TO FACILITATE INCLUMENTON					
24A. Soil Replacement	1	K-71			
Topsoil will be saved? If no, explain:		\boxtimes	yes	Ш	no
II no, explain.	11				
	1				
Up to 4 feet of topsoil and (or) subsoil will be restored?			yes	\boxtimes	no
If no, explain: The current site conditions support growth with a minimal topsoil horizon. Select area will be identified at the site (low areas or swales) to place the topsoil to enhance revegetation. Cocond					
mats will be used to stablize the topsoil in these areas.	AL.				
and the second and to pool and the second and the s					
	<u> </u>				
Topsoil will be restored and seedbeds prepared as necessary to promote effective revegetation and to stabili slopes and mine floor?	ze	57		_	
If "yes" give details, if "no", explain: Topsoil (1 to 2 feet of rock material covered with 1 foot of topsoil		\boxtimes	yes	Ш	no
will be placed at discrete locations on cliff benches to serve as stable rooting medium. Planting areas	will				
be prepared by creating depressions, small pits, and surface irregularities at the base of the highwalls					
base of chutes, and at the top of the scree slopes. It is anticipated that minimal topsoil will be placed of	n				
the mine floor.	İ				
Subsoil will be replaced to an approximate depth of <u>0.4</u> feet on the pit floor and a depth of <u>0.5</u> feet on slopes					
Topsoil will be replaced to an approximate depth of <u>0.4</u> feet on the pit floor and a depth of <u>1</u> feet on slopes.	r ! 				
Topsoil will be distributed evenly over the site?	!		yes	\boxtimes	no
If no, explain: Select areas will be identified that have less potential of erosion for placing topsoil	! ! i				
If topsoil is in short supply, it will be strategically placed in depressions and low areas in adequate thickness	to				
conserve moisture and promote revegetation?		⊠ y	es		no
If no, explain:					
Topsoil will be moved when conditions are not overly wet or dry?	1	⊠ y	es		10
If no, explain:	I				İ
	1				
					İ
Topsoil will be imported?		□ y	es	× ı	10
If yes, describe source. If no, explain: Topsoil will be used in select areas and sufficient material should	be				
available for this limited use.					
	: :				1
	i				
Synthetic topsoil made from compost, biosolids, or other amendments will be used and (or) made on site to					
supplement existing topsoil?		□ ye	es	⊠ n	10
If yes, explain:	:	_ •			
	1				
Materials such as till, loess, and (or) silt are available on site that could be used to supplement topsoil for					
reclamation.		☐ ye	s	⊠ n	0
If yes, explain:		J*	- 1	** K.	-
	1				

Silt from settling ponds or a filter press will be used for reclamation?			yes	D	no
If yes, explain:					
			•		
Settling pond clay slurries will be pumped or hauled to other segments for reclamation?	$\dashv \downarrow$		·		7
If yes, explain:		L] yes	Þ	(j no
Topsoil will be replaced with equipment that will minimize compaction, or it will be plowed, disked, or	ipped		•		
following placement?			yes		no
If no, explain:					
Topsoil will be immediately stabilized with grasses and legumes to prevent loss by erosion, slumping, or crusting?		\boxtimes	yes	L	no
If no, explain:					
Topsoil stockpile areas are shown on maps and will be marked on the ground with permanent boundary	+			·	
markers to protect from loss?		\boxtimes	yes		no
If no, explain:					
Segmental topsoil removal and replacement is shown on maps?	+	П	yes	$\overline{\alpha}$	no
If no, explain: The topsoil will be replaced as areas or segments are abandoned.			•		
Topsoil salvage and replacement plan included?		\boxtimes	yes		no
If no, explain:					
24B. Removal of Vegetation		Marie 7-1	Jr. Korr		
Vegetation will be removed sequentially from areas to be mined to prevent unnecessary erosion?		Ø	ves	П	no
If no, explain:			,		
				1.	
Small trees and other transplantable vegetation will be salvaged for use in revegetating other segments?			yes	\boxtimes	no
If yes, give details. If no, explain: The extraction of resources are at a slow pace basd upon demand within the area. Therefore, periods between reclamation and removal would be to long for preservin					
salvaged vegetation.	g ;				
			•		·
Wood and other organic debris will be:	 				
recycled removed from site chipped burned buried used to sy	nthesi	ze top	soil (or mi	ılch
distributed to shade seedlings.				K 7	- 1
olid waste disposal, burning, and land use permits are attached?			yes		no
ome coarse wood (logs, stumps) and other large debris will be salvaged for fish and wildlife habitats? f yes, give details. If no, explain: Trees will be logged for lumber if practical. Unused logs or stumps	vill	⊠ y	es		no
e made available to agencies or private organizations.	- 				
pplication for Reclamation Permit (Form SM-8A) Revised 12/01 Page 5 of 14 Reclamation Permit/App No.	70-01	0778			
	1				

24C. Erosion control for Reclamation			
Pit floor will slope at gentle angles toward highwall, sediment retention pond, or proper drainage? If yes, give details. If no, explain: The pit floor and benches will be sloped toward highwalls to mini runoff and to add soil moisture to the revegetated areas.	mize	⊠ yes	□ no
Revegetation, sheeting, and (or) matting will be used to protect areas susceptible to erosion? If yes, give details. If no, explain: Coconut mats will be used to stabize topsoil areas that can not be sloped to prevent erosion.		☐ yes	□ no
Water control systems used for erosion control during segmental reclamation will: Divert clean water around pit? Trap sediment-laden runoff before it enters a stream? Result in essentially natural conditions of volume, velocity, and turbidity? Handle a 25-year, 24-hour peak event? (Have you attached calculation?) Be removed or reclaimed? If any answers are no, explain:		□ yes □ yes □ yes □ yes □ yes □ yes □ yes	no no no no no no no no
Will any water control systems be removed upon final reclamation? If yes, explain: Water control systems are not planned for the site.		yes	⊠ no
Water control measure will be established to prevent erosion of setbacks and neighboring properties? If yes, give details. If no, explain: The site will be sloped to prevent runoff from the site.		⊠ yes	□ no
Storm-water conveyance ditches and channels will be lined with vegetation or riprap? If yes, give details. If no, explain: If storm water convenyance systems are required, they will be line with riprap.		⊠ yes	□ no
Natural and other drainage channels will be kept free of equipment, wastes, stockpiles, and overburden? If no, explain:		⊠ yes	по
25. RECLAMATION TOPOGRAPHY	HIM.		
25A. Final Slopes		<u> 1850. 1856 (n. 7.5)</u>	Section and Control
Final slopes will be created using the cut-and-fill method? Explain procedure to be used: Benches will be created during mining. Reeclamation mining will be to create slopes by blasting high walls. This process will completed cover benches in some area and partin others.		⊠ yes	□ no

Reclamation Permit/App No.

Slopes will vary between 2 and 3 feet horizontal to 1 foot vertical or flatter, except in limited areas where steeper slopes are necessary to create sinuous topography and control drainage? If no, explain: yes	Slopes will be created by mining to the final slope using the cut method? Explain procedure to be used: Blasting will be used to create sinuous slopes with rounded corners, chutes and buttresses	mut	iple	×	yes		no
If no, explain: Slopes will have a sinuous appearance in both profile and plan view?) 				
Large rectilinear (that is, right angle, or straight, planar) areas will be eliminated? Where reasonable, tracks of the final equipment pass will be preserved and oriented to trap moisture, soil, and seeds, and to inhibit erosion? Where reasonable, tracks of the final equipment pass will be preserved and oriented to trap moisture, soil, and seeds, and to inhibit erosion? If no, explain: 25B. Slope Requirements for Pits and Overburden/Waste Rock Dumps (non-saleable products) If the mine is a quarry or in hard rock, skip to Quarry section/25C). Slopes will not exceed 3 feet horizontal to 1 foot vertical or flatter, except in limited areas where steeper slopes are necessary to create sinuous topography and control drainage? For pits, slopes will not exceed 2 feet horizontal to 1 foot vertical except as necessary to blend with adjacent yes no natural slopes? Give details: Slope stability analysis required? If mine is a pit in unconsolidated materials covered by Section 25B, go to Section 25D. Clock the appropriate box(es) Slopes will not exceed 2 feet horizontal to 1 foot vertical are an acceptable subsequent land use as confirmed on Form SM-6. Hazardous alopes or cliffs are indigenous to the immediate area and already present a potential threat to human life. Photo and naps attached to document presence of cliffs. Geologic to ropographic characteristics of the site preclude slopes being reclaimed at a flatter angle and are an acceptable ubsequent land use as confirmed on Form SM-6. Hazardous alopes or cliffs are indigenous to the immediate area and already present a potential threat to human life. Photo and naps attached to document presence of cliffs. Geologic to ropographic characteristics of the site preclude slopes being reclaimed at a flatter angle and are an acceptable ubsequent land use as confirmed on Form SM-6. [Slopes steep and the SM8AINST.DDF file.] Jose and the SM8AINST.DDF file.] Jose and the subsequent is included in the SM8AINST.DDF file.]					yes		no
Where reasonable, tracks of the final equipment pass will be preserved and oriented to trap moisture, soil, and seeds, and to inhibit erosion? Stope Requirements for Pits and Overburden/Waste Rock Dumps (non-saleable products)				Ø	yes		no
Seeds, and to inhibit erosion?					yes		no
Slopes will vary between 2 and 3 feet horizontal to 1 foot vertical or flatter, except in limited areas where steeper slopes are necessary to create sinuous topography and control drainage?	seeds, and to inhibit erosion?	l, an	nd	\boxtimes	yes		no
Slopes will vary between 2 and 3 feet horizontal to 1 foot vertical or flatter, except in limited areas where steeper slopes are necessary to create sinuous topography and control drainage?	25B. Slope Requirements for Pits and Overburden/Waste Rock Dumps (non-saleable products)		1				•
yes no no ft no, explain: yes no no yes no no yes no no yes no natural slopes? yes no natural slopes? yes yes no no yes yes no no yes yes no yes yes yes no yes yes no yes yes yes no yes yes yes no yes yes yes yes yes yes no yes If the mine is a quarry or in hard rock, skip to Quarry section(25C).		1					
Slope stability analysis required?	Slopes will vary between 2 and 3 feet horizontal to 1 foot vertical or flatter, except in limited areas where steeper slopes are necessary to create sinuous topography and control drainage? If no, explain:				yes		no
If yes, see "Additional Information Requirements for Mines with Potentially Unstable or Steep Slopes." This document is included in the SM8AINST.PDF file. Slope stability analysis provided by	For pits, slopes will not exceed 2 feet horizontal to 1 foot vertical except as necessary to blend with adjacenatural slopes? Give details:	ent			yes		no
25C. Slope Requirements for Quarries and Hardrock Metal Mines If mine is a pit in unconsolidated materials covered by Section 25B, go to Section 25D Check the appropriate box(es) Slopes will not exceed 2 feet horizontal to 1 foot vertical. Slopes steeper than 1 foot horizontal to 1 foot vertical are an acceptable subsequent land use as confirmed on Form SM-6. Hazardous slopes or cliffs are indigenous to the immediate area and already present a potential threat to human life. Photo and maps attached to document presence of cliffs. Geologic or topographic characteristics of the site preclude slopes being reclaimed at a flatter angle and are an acceptable subsequent land use as confirmed on Form SM-6. Slope stability analysis required? yes no yes no yes no yes no yes no motion in cluded in the SM8AINST.PDF file.	document is included in the SM8AINST.PDF file.	" T	his	□ 3	/es		no
Check the appropriate box(es) Slopes will not exceed 2 feet horizontal to 1 foot vertical. Slopes steeper than 1 foot horizontal to 1 foot vertical are an acceptable subsequent land use as confirmed on Form SM-6. Hazardous slopes or cliffs are indigenous to the immediate area and already present a potential threat to human life. Photo and maps attached to document presence of cliffs. Geologic or topographic characteristics of the site preclude slopes being reclaimed at a flatter angle and are an acceptable subsequent land use as confirmed on Form SM-6. Slope stability analysis required? Tyes, see "Additional Information Requirements for Mines with Potentially Unstable or Steep Slopes." This locument is included in the SM8AINST.PDF file. Slope stability analysis provided by	25C. Slope Requirements for Quarries and Hardrock Metal Mines						
Slopes will not exceed 2 feet horizontal to 1 foot vertical. Slopes steeper than 1 foot horizontal to 1 foot vertical are an acceptable subsequent land use as confirmed on Form SM-6. Hazardous slopes or cliffs are indigenous to the immediate area and already present a potential threat to human life. Photo and maps attached to document presence of cliffs. Geologic or topographic characteristics of the site preclude slopes being reclaimed at a flatter angle and are an acceptable subsequent land use as confirmed on Form SM-6. Slope stability analysis required? Tyes, see "Additional Information Requirements for Mines with Potentially Unstable or Steep Slopes." This locument is included in the SM8AINST.PDF file. Slope stability analysis provided by	If mine is a pit in unconsolidated materials covered by Section 25B, go to Section 25D						
f yes, see "Additional Information Requirements for Mines with Potentially Unstable or Steep Slopes." This locument is included in the SM8AINST.PDF file. Slope stability analysis provided by	☐ Slopes steeper than 1 foot horizontal to 1 foot vertical are an acceptable subsequent land use as confir ☐ Hazardous slopes or cliffs are indigenous to the immediate area and already present a potential threat maps attached to document presence of cliffs. ☐ Geologic or topographic characteristics of the site preclude slopes being reclaimed at a flatter angle a subsequent land use as confirmed on Form SM-6.	to h	uman	life.	Phot	o and	
	document is included in the SM8AINST.PDF file.	" <i>Tl</i>	his	□ у	es	r	10
	Measures will be taken to limit access to the top and bottom of hazardous slopes?	+ :		⊠ y	es	n	0

Describe measures, or if no, explain: Fences will be used above and adjacent to the top of steel slop Signage will be used posted on fences indicating steep slope area.	es.	! !			
Selective blasting will be used to remove benches and walls and to create chutes, buttresses, spurs, screen and rough cliff faces that appear natural? Describe procedures, or if no, explain: Blasting will be used as necessaryto blend the slope to a natural appearance. Cliffs and benches will be used to enhace revegetation of the site. The benches will he moisture and topsoil from eroding from the site. Talus slopes (chutes) will be created at 2:1 to allow migration pathways for wildlife in areas of the site.	ral eln he		⊠ ye	s	no
Reclamation blasting will be used to reduce the entire highwall to a scree or rubble slope less than 2 feet horizontal to 1 foot vertical?		: - -		г	
Blasting plan is attached? If no, explain:			⊠ ye: □ ye:		∐ no ⊠ no
Access to benches will be maintained for reclamation blasting? If no, explain:		2	⊠ yes	; <u>[</u>] no
Small portions of benches will be left to provide habitat for raptors and other cliff-dwelling birds?			⊠ yes		no
25D. Backfilling Slopes will require backfilling?		Γ] yes		no
Depth of backfilling is feet.		L	_i yes	Ľ	7 110
Slope stability compaction analysis required? Compaction analysis provided by] yes	Σ	on [
Backfilling plan and (or) permits are attached? If no, explain: No backfilling will be conducted therefore backfilling plan not required		Ĺ	yes	Σ	no
Backfilling will be done with overburden material after topsoil has been separated? If no, describe composition and source of backfill material: No backfilling will be conducted, therefore backfilling plan not required.			yes	×	no
Explain method of placement of fill:					
Locations of stockpiles are shown on maps and will be marked on the ground with permanent boundary					
markers? Will backfill be imported?			yes	\boxtimes	
If yes, give volumes needed to meet reclamation plan:	1	L	yes		no
Areas to be backfilled are shown on maps? If no, explain: Backfilling willnot be completed for the project			yes		no
All grading/backfilling will be done with clean, inert, non-organic solids?	. i	Ø	yes		no
Application for Reclamation Permit (Form SM-8A) Revised 12/01 Page 8 of 14 Reclamation Permit/App No	1.	ىت 010778-	•		

If yes, give details. If no, explain: Grading will be done if required with clean, inert, non organic solids	• •	
	1	
	1	
Backfilled slopes will be compacted?	¦ ∐ yes	⊠ no
If yes, give details. If no, explain: No backfilling will be done, therefore compaction will not be required	•	
	!	
Will you be heal-filling into youton?	<u> </u>	5 7
Will you be backfilling into water? If yes, is slope stability analysis attached?	☐ yes	⊠ no ⊠ no
If yes, describe method:	, , , , ,	E2
25E. Mine Floors		
Flat areas will be formed into gently rolling mounds?	⊠ yes	no no
If yes, give details. If no, Explain: Upon final mining loose material on the mine floor will be formed integently rolling mounds using heavy earth moving equipment.	•	
gentry rounds using neavy earth moving equipment.		
	!	
Mine floor will be gently graded into sinuous drainage channels to preclude sheetwash erosion during intense	1	
precipitation?	yes yes	no no
If yes, give details. If no, explain: A meandering pattern will be used for the mounds on the mine floor t	o	
prevent sheet wash and to direct water toward revegetated areas.	i : !	
	1	
Mine floor and other composted gross will be buildered allowed signed on blood to forten acceptation?	N	[]
Mine floor and other compacted areas will be bulldozed, plowed, ripped, or blasted to foster revegetation? If yes, give details. If no, explain: The mine floor will be bulldozed to create a more porous floor surface	⊠ yes	∐ no
before shaiping of the mounds	'	
25F. Lakes, Ponds, and Wetlands		
Is water currently present in the area or will the mining penetrate the water table? If no, go to Section 25G.	∐ yes	⊠ no
Reclaimed areas below the permanent low water table in soil, sand, gravel, and other unconsolidated material		
will have a slope no steeper than 1.5 feet horizontal to 1 foot vertical?	yes yes	⊠ no
If yes, give details. If no, explain:		
If not already present, soils, silts, and clay-bearing material will be placed below water level to enhance	П	
revegetation? If yes, give details. If no, explain:	∐ yes	∐ no
Some parts of pond and lake banks will be shaped so that a person can escape from the water?	yes	По
If yes, give details. If no, explain:	L	
Armored spillways or other measures to prevent undesirable overflow or seepage will be provided to stabilize		
bodies of water and adjacent slopes? If yes, give details. If no, explain:	yes	∐ no
i yos, give details. It ito, explain.		

Wildlife habitat will be developed, incorporating such measures as: Sinuous and irregular shorelines? Varied water depths? Shallow areas less than 18 inches deep? Islands and peninsulas? Give details:				yes yes yes yes		no no no no
Ponds or basins will: Be located in stable areas? Have sufficient volume for expected runoff? Have an emergency overflow spillway? Spillways and outfalls will be protected (for example, rock armor) to prevent failure and erosion? If any answers are no, explain:				yes yes yes yes		no no no no
Proper measures will be taken to prevent seepage from water impoundments that could cause flooding outs the permitted area or adversely affect the stability of impoundment dams or adjacent slopes? If yes, give details. If no, explain:	ide	-		yes		no
Written approval from other agencies with jurisdiction to regulate impoundment of water is attached? If no, explain:				yes		no
25G. FINAL DRAINAGE CONFIGURATION	Ħ		angrisa Dell'Est			
Drainage will be capable of carrying the peak flow of the 25-year, 24-hour precipitation event (Data are available at DNR Region offices) If yes, are calculations attached? If yes, give details. If no, explain:				yes yes		no no
Drainages will be constructed on each reclaimed segment to control surface water, erosion, and siltation? Clean runoff is directed to a safe outlet? If either yes, give details. If no, explain: Runoff will be retained on site. Ripping and blasting will create permeability in the slope and mine floor. This will allow infiltration of 25 year 24 hour precipitation event flow.		-	= .	yes yes	\equiv	no no
Are these shown on maps?	+			es.	X	no
The grade of ditches and channels will be constructed to limit erosion and siltation? If yes, give details. If no, explain: Not applicable				es.		no
Natural-appearing drainage channels will be established upon reclamation? If yes, give details. If no, explain: Not applicable			□ ›	'es		no
Application for Registration Permit (Form SM 8A). Revised 12/01 Page 10 of 14 Registration Permit/App No.	+	70_01	0778			

26. SITE CLEANUP AND PREPARATION FOR REVESETATION	21421		7. * * * * * * * * * * * * * * * * * * *
26A. Dealing with Hazardous Materials			
Hazardous materials are present at the mine site?		yes	⊠ no
If no, go to Section 25B			
The final ground surface drains away from any hazardous natural materials?		☐ yes	☐ no
If yes, give details. If no, explain:			
	-		
Plan for handling hazardous mineral wastes indigenous to the site is attached?		yes	□ no
If no, written approval from all appropriate solid waste regulatory agencies attached?		yes	no
26B. Removal of Debris		1	<u></u>
All debris (garbage, 'bone piles', treated wood, old mining equipment, etc.) will be removed from the min	e site?	⊠ yes	no no
All sheds, scale houses, and other structures will be removed from the site?	:	yes yes	no no
If either answer is yes, give details. If no, explain: Structures are not planned for the site. All debris	f		
generated will be removed from the site.			
27. REVEGETATION			
The mine site is in: eastern Washington			
western Washington	1:		
	,		
The mine site is: wet dry?			
The average precipitation is 44 per year.			
Revegetation will start during the first proper growing season (fall for grasses and legumes, fall or late wir	ıter	<u> </u>	
for trees and shrubs) following restoration of slopes?		⊠ yes	no no
If yes, give details. If no, explain: A revegetation plan is attached in the appendix	!		
	1		
	1 i		
Test plots will be used to determine optimum vegetation plans?	1	ves	⊠ no
The site will not be revegetated because:		yes_	
It is a rural area with a rainfall exceeding 30 inches annually and erosion will not be a problem	n (requi	res approv	al of
DNR).		**	
Demonstration plots and areas will be used to show that active revegetation is not necessary.			
Revegetation is inappropriate for the approved subsequent use of this surface mine.	1		
Explain:			
Explain.	1:		
	1		
	1		5
Documentation is attached?		yes	⊠ no
27A. Recommended Pioneer Species In the Sections below, check the species that will be planted at your mine site:			
* indicates nitrogen-fixing species			
Western Washington Dry Areas			
alfalfa* Lupine* clover* orchard grass			į
cereal rye perennial rye colonial bent grass ponderosa pine			
creeping red fescue red alder* Douglas fir shore pine	1		
ground cover shrubs other	1		
	 		

Western Washington W	et Areas				
birdsfoot trefoil	sedges	cedar	tubers		
cottonwood red alder*	wetland grasses other	creeping red fescue	willow		
Eastern Washington Dr		T 1010+	F-1 · ·		
alder*	grasses lodgepole pine	alfalfa*	∐ juniper □ lunipe*		
deciduous trees	ponderosa pine	shrubs	lupine* deep-rooted groun	nd cover	
diverse evergreens	other				
Eastern Washington We	t Areas cottonwood	poplar	sedges	.	
serviceberry	tubers	willow	seages		
other	-		4		
Circuit de la 1 de 1			1 11 / 0	 	·, ·
Give planting details (sten				. []]	
Blasting and rippi Trees - 190 vigoro			to aid re-growth	•	
Grass - The approp			and quantities w	: 17	
be determined by t	he soil conservat				
start of reclamati Describe weed control plan	on.				
Describe weed conduit plan					
		•			ĺ
·					
27B. Planting Technique					
Revegetation at this site wi	ill require:	The state of the s	en en en en en en en en en en en en en e	A A A A A A A A A A A A A A A A A A A	riadažilia į ta agraži
Ripping and tilling				⊠ yes □] no
Blasting to create Mulching?	permeability?				no no
Irrigation?				yes 🗵	no
Fertilization?				☐ yes 区	no
	y- or humus-bearing soils oners or amendments?	3 7		yes X	
		ome reclamation blasting	may be used to create	☐ yes ⊠	no
permeability and ripping			, and another or or other		
					.
Trees and should will be -1.	onted in towaril i 1	ail amandad —!4		57	
Trees and shrubs will be pla If yes, give details. If no, e	anicu in iopsoii or in subs xplain: Planting areas u	on amended with generous	s amounts of organic matt	er? yes	no
provided by the supplier.	z mutug ai cas w	ve propareu ili accoru	ance with the high action		
_ , , , , , , , , , , , , , , , , , , ,					
Mulah will be miled answed	the hare of twee 1 -1	.h.a?	· · · · · · · · · · · · · · · · · · ·		
Mulch will be piled around High quality stock will be u		ios (no no
Trees and shrubs will be pla		ant?		⊠ yes □ ⊠ yes □ ⊠ yes □ ⋈ yes □	no
Stock will be properly hand	led, kept cool and moist,	and planted as soon as pos	sible?	yes 🗆	no
Seeds will be covered with t		er than one-half inch?		⊠ yes □	no
If any answers are no, expla	ın:				
					- 3 No con -
					a saude.
All required maps are attach				⊠ yes □	no
All required cross-sections a		ions for detailed requirem	ents)?	yes 🗌	no
Geologic map attached (if re	equirea)?			yes 🗵	no

All documents submitted have the date, the name and address of the permit holder, and the application number		
on every page of the material?	yes	no no
The plan contains predominantly relevant information?	⊠ yes	no
Have you completed the SM-6 and has it been signed by the local jurisdiction?	⊠ yes	no
Have you provided the SEPA checklist?	⊠ yes	no
Have you provided a copy of the SEPA Determination (DNS, MDNS, or DS)?	yes	⊠ no
Have you attached photographs?	⊠ yes	no no
Are additional supplemental studies included?	yes	🛛 no
If yes, check the appropriate box(es) below:		
Archeological Geohydrologic Backfill Slope stability		
Topsoil Flood plain Conservational Vegetation		
Other		
Other permits required?	∐ yes	⊠ no
If yes, check the appropriate box(es) below:		
Shoreline permit Water Discharge Permit Solid Waste Permit		
Air Quality Permit NPDS or General Discharge Permit Hydraulic Project Approval		
Special or Conditional Use Permit Other		

RECEIVED MAR 0 6 2006

Geology and Earth

When signed by the applicant and approved by the Department of Natural Resources, this document and the associated maps, cross sections, reclamation narrative, and other attachments will be the approved reclamation plan for this permit that the permit holder must follow. Significant variations from the approved reclamation plan may require that a new plan be submitted to the Department for approval.

					•
The applicant shall b	oe considered as the permit l	nolder for this surfa	ace mine and shall be responsib	le for complia	nce with Chapter
		d reclamation plan	and attachments, and the cond	itions of the pe	ermit if issued by the
Department of Natur		·			
I hereby agree to con Signature of applicant or		<i>f</i> 1	e and Title of Company Repres	1 1 '	Date signed
signature of applicant or	company representative	Plea	ohn C. Brynn	/	
John	20 mg				6MARO6
			residen		6111AN 06
	SHIP (For New Permits O		OWERSHIP OF RIGHTS TO	REMOVE M	INERALS BY
r	, and signatures of all individua	ls with possessory	SURFACE MINING (For No		
interest in land.	f this page if more than one)		Give names, addresses, and signs	atures of all indi	ividuals with rights.
	int has my permission to mine f	rom my land.	(attach signed copies of this page I verify that the applicant has my	nermission to	ne) nine this land
Signature of landowner(s)	_	Date Signed	Signature of rights owner(s)	permission to i	Date Signed
	OR-	(MAAN!			1 Man
- Jana		. 6 MANUE			6 MAD 06
I hereby verify that I ha	we seen and approved this plan		I hanshar yani Gathat I have assess	عمادا است د	1
Signature of landowner(s)		Date Signed	I hereby verify that I have seen as Signature of rights owner(s)	nd approved thi	s pian. Date Signed
1	(2)			—	Duic oigneu
		6 MAROG	- Juli II		6 MIRING
FOR DEPARTMEN					
Date accepted	Accepted by:	Title:		Reclamat	ion Permit No.
. -					i
Comments by Departs	rment:				
	'				
	•				
				RE	17 2006
					-EIVED
	•			1111	12
				1902	' / 2006
				Geology	' 4006 ' and Earth
					and Earth
			-651	VED	
			RECL.		
			n all	8 5000	
			RECE!	Earth	
			MAR 0	and	
			Geo. 3		
					•



COUNTY OR MUNICIPALITY APPROVAL FOR SURFACE MINING (Form SM-6)

NAME OF COMPANY OR INDIVIDUAL APPLIC Same as name of the exploration permit holder. J. Arlie Bryant Inc. MAILING ADDRESS	ANT(S) (Type or print in ink.)	(Include all and associa Total are Maximum 2 Maximum relative to COUN	acreage to be ted activities a disturbed with vertical depth of exponents and the ted activities and the ted activities and the ted activities and the ted activities and the ted activities and the ted activities and ted activities activities and ted activities activities and ted activities and ted activities activities and ted activities activities and ted activities activities activities and ted activities activities activities activities activities and ted activities activi	s during the life vill be oth below pre- feet cavated mine evel	y mining, setbacks e of the mine.) (S 20 acre mining topograph	ee SM-8A.) es ic grade is 900 feet
2000 W 6th Street		1/4	1/4	Section	Township	Range
The Dalles, OR 97058		NE	SW	29	06 N	11 E
		SE	NW	29	06 N	11 E
T						
Telephone 541 296 2129						
Proposed subsequent use of site upon completio	n of reclamation					
Forestry						
Signature of company representative or individu	al applicant(s) Name a	and title of compa	ny represent	 ative (please p	print) Date	signed
Jack Ryn	Jo Jo	hn C. "J esident			İ.	July 06
TO BE COMPLETED BY THE APPROPRIA	TE COUNTY OR MU	INICIPALITY:				<u> </u>
Please answer the following questions 'y 1. Has the proposed surface mine been 2. Is the proposed subsequent use of the When complete, return this form to the	es' or 'no'. approved under local z e land after reclamatio	coning and land-un consistent with	the local land	d-use plan/des	ignation?	Yes No ✓
Name of planning director or administrative offic	ial (please print)	Address				
Curt Dreyer		228 We	est Main	n St. Ro WA R 9862	om 150 EIVEC	
Signature ()			·		17 2006	•
Title (please print) Klick, hat County Planning Direct	70-				y and Earth	
Telephone	Date			Г	ONR Reclamation	Permit No.
509-773- 5703	7/13/06	FOR DEPAI	RTMENT U			10778

RECEIVED

MAR 0 6 2006

PROPOSED MINING SEQUENCE/BACKFILLING PLAN

Geology and Earth

Two mine sequences have been developed for the Fisher Quarry site. The existing topsoil from mining sequences I has been stripped and stockpiled at the for future reclamation purposes. Bedrock will be mined using a combination of blasting and ripping.

The mining process will create a series of benches that will be used to remove resource material. Reclamation blasting of the highwall of the bench will be used to reduce the highwalls and create more natural slopes. The pre-existing topography was steep and will be consistent with the post reclamation topography. The blasting will also be useful in creating non-linear surfaces. Scree slopes and chutes and spurs will be created The outside half of the reclamation setback will not be mined so blasting can be performed to create a final slope near 2:1.

Final mining will be from sequence 2. This area will be mined in a similar manner to sequence 1. Reclamation will begin for sequence 1 upon opening area 2. Revegetation activities will include creating permeability in the slope and mine floor by ripping or blasting. Topsoil will be replaced and the area reseeded with grasses (rye, fescue, and blue grass seed mixture), ponderosa pine and evergreens.

JUL 17 2006
Geology and Earth



MAR 0 6 2006.

Geology and Earth

RECLAMATION SCHEDULE


The anticipated reclamation schedule is dependent on the demand for processed rock products in the Trout Lake Valley. The anticipated mine life is approximately 30 years. The site has been divided into two sequences.

Reclamation should begin in sequence 1 in approximately 10 to 15 years from the date of submission of this report. If resource demand increases or the quality of the rock decreases as the quarry is expanded, reclamation may begin earlier. Reclamation which includes developing final slopes by ripping and blasting would be completed coincident with opening sequence 2. Revegetation will occur the first appropriate season (spring or fall) following mining activities and the creation of final topography. Some mulching may occur to supplement the topsoil. Irrigation will not be used and fertilization will only be completed with the initial application of the grass seed.

RECEIVED

JUL 17 2006

Geology and Earth



TOPSOIL SALVAGE AND REPLACEMENT PLAN

Vegetation will be cleared from the site with stripping equipment. Topsoil will then be removed using excavation equipment. Subsoil will be removed and stockpiled separately. The topsoil and subsoil will be stockpiled in the southeast corner of the site until sequences are ready for reclamation.

The topsoil will be spread with dumping equipment and spread with a small dozer. Topsoil will be replaced in a similar thickness to that removed at the site but in localized areas because of the lack of pre-existing material. Track marks oriented perpendicular to the slope will be left on the topsoil surface to help retain seeds and prevent erosion. Thicker layers of topsoil may be placed selectively in depressions to create stable growing environments to quickly start revegetation growth.

25 year/24 hour Peak Precip. Event

Event Rainfall from NOAA Atlas 2 = 4.2 inches

Drainage Area = ~ 40 acres = 1,742,400

Slope =
$$\underline{\text{rise}}$$
 = $\underline{560\text{ft}}$ = 26%
Length 2120ft

$$Q = CIA \text{ (mined)} = CIA \text{ (forested)}$$

Q = discharge (total)

I = intensity = 4.2 inches

A = area = (forested) 1,306,800 = (mined) 435,600

 $C = \text{runoff coefficients} = (\text{forested}) \ 0.35 = (\text{mined}) \ 0.90$

Q = (0.90*435,600*4.2/12) + (0.35*1,306,800*4.2/12)

 $Q = 297,297 \text{ft}^3$ maintain on-site


RECEIVED

MAR 0.8 coss

Grossy and Luca

Date: 2 mm b 6

J. Arlie Bryant, Inc. 2000 W 6th St
The Dallas. OR 97058



Reclamation PermareIVED Application No. 70-010778

JUL 17 2003

Geology and Earth

Site Location Map ECEIVET

Fisher Quarry


J. Arlie Bryant, Inc.

2000 W 6th Street Geology and Earth The Dalles, OR 97058

Date	Mounted By:	Reviewed By:	Figure
01-04	GH	GH	



RECEIVED



Adjacent landowners names and addresses:

SURVEY1 SURVEY2 SURVEY3 33 231128	250 SURVEY1 SURVEY2 SURVEY3 250 250 231128	250 250 231128	SURVEY1 SURVEY2 SURVEY3 250 3	SURVEY1 SURVEY2 SURVEY3 AUDITOR_NO COMMENT ACRES LAND IMPRV
	400.00	400.00 0 0	400.00 0 0 23880	400.00 0 0 23880 17
	NO COMMENT ACRE	NO COMMENT ACRES LAND IM	NO COMMENT ACRES LAND IMPRV TOTAL.	NO COMMENT ACRES LAND IMPRV TOTAL AV TAXCODE 400.00 0 0 23880 17

RECEIVED JUL 17 2006

Geology and Earth